

## 9186-8560 Series, 2.91" X 3.69" Turn/Marker

Now available in LED! Functions as a side turn indicator\* or marker light

- Stainless steel housing
- No rust or corrosion issues
- Durable Polycarbonate Lens

| Order Nos.   | Description                            | Amp Draw 12V | CTN |
|--------------|--|--------------|-----|
| 9186-8580-29 | LED turn/marker, amber                 | 0.1/0.4      | 24  |
| 9186-8560-29 | Marker w/ground tab, #1157 bulb, amber | .59/2.1      | 24  |
| 0C12-1181-00 | Repl. lens, polycarbonate, amber       |              | 12  |
| 0D10-1176-00 | Repl. gasket, lens                     |              | 12  |
| 0D30-1092-00 | Repl. mounting pad                     |              | 12  |
| 9018-0020-00 | Repl. bulb: #1157, 32/3cp              |              | 100 |
| 0C90-2215-00 | Repl. LED Turn Signal Module           |              | 1   |

\*no current DOT requirement for side turn



9186-8560-29

## 5150/5180 Series, 1.5" X 3.5", Marker, PC Rated

These lamps feature a tough acrylic lens with built in shield for added durability. The LED lamp provides reliable, long-life service! Both lamps meet combination clearance and marker functions.

- Built-in shield
- Armored metal shield available separately
- Low amp draw

| Order Nos.   | Description                               | Amp Draw 12V | CTN |
|--------------|---|--------------|-----|
| 5150-0100-10 | Marker, incandescent w/delphi conn, red   | 0.35         | 200 |
| 5150-0100-20 | Marker, incandescent w/delphi conn, amber | 0.35         | 200 |
| 5180-0100-10 | Marker, LED, w/delphi conn, red           | 0.04         | 200 |
| 5180-0100-20 | Marker, LED, w/delphi conn, amber         | 0.04         | 200 |
| 5180-0110-10 | Marker, LED w/delphi, 2 wire, red         | 0.04         | 200 |
| 5180-0110-20 | Marker, LED w/delphi, 2 wire, amber       | 0.04         | 200 |
| 0J10-2161-BK | Shield for 5150/5180, powder coat black   |              | 50  |
| 0J10-2161-GY | Shield for 5150/5180, powder coat grey    |              | 50  |
| 0K90-1601-00 | Socket wedge base, w/delphi for 5150      |              | 10  |
| 0K90-1803-00 | Plug assm, 2 wire, for 5180 & 5150        |              | 10  |
| 0D10-1630-00 | Replacement mounting pad                  |              | 12  |
| 9018-0012-00 | Replacement bulb #168                     |              | 100 |



5150-0100-10



5180-0100-20  
Shown with optional Shield (0J10-2161-BK)



5180-0100-10  
Shown with optional Shield (0J10-2161-GY)



5180-0100-10  
Shown with 0K90-1803-00 Plug Assembly



## 5045 Series, 2.15" x 4.52" Marker

These lamps feature a tough acrylic lens with a low profile design. The LED lamp option provides reliable, long-life service.

- Available in LED or incandescent
- Flush Mount
- Low amp draw for LED

| Order Nos.   | Description   | Amp Draw 12V | CTN |
|--------------|---|--------------|-----|
| 5045-0100-10 | Marker lamp, incand., flush mnt, delphi conn, red   | .35          | 150 |
| 5045-0100-20 | Marker lamp, incand., flush mnt, delphi conn, amber | .35          | 150 |
| 5045-7001-10 | Marker lamp, LED, flush mnt, 2 wire w/conn, red     | .04          | 150 |
| 5045-7100-10 | Marker lamp, LED, flush mnt, delphi conn, red       | .04          | 150 |
| 5045-7100-20 | Marker lamp, LED, flush mnt, delphi conn, amber     | .04          | 150 |
| 5045-7110-20 | Marker lamp, LED flush mnt, 35° tilt, amber         | .04          | 150 |



5045-0100-10



5045-0100-20



5045-7001-10



5045-7001-20

## 5000 Series, 1.63" X 3.75" Marker Lamp

This popular series is common in the school and commercial bus markets. The addition of the 5006 armored shield makes this lamp almost unbreakable.

- Rugged steel base
- Grounds through the base
- Available with ground wire

| Order Nos.   | Description               | Amp Draw | CTN |
|--------------|---------------------------|----------|-----|
| 5000-1400-xx | Marker, 1 wire, #168 bulb | 0.35     | 240 |
| 5000-1406-xx | Marker, 2 wire, #168 bulb | 0.35     | 240 |

NOTE: xxDenote (-10 red), (-20 amber)



5000-1400-10



5006-0000-00

| Order Nos.   | Service Parts for 5000 Series | CTN |
|--------------|-------------------------------|-----|
| 5001-0000-00 | Gasket, lens                  | 12  |
| 5002-0000-10 | Lens, acrylic, red            | 12  |
| 5002-0000-20 | Lens, acrylic, amber          | 12  |
| 5004-0001-00 | Mounting pad                  | 12  |
| 5006-0000-00 | Shield for 5000 lamp, silver  | 144 |
| 5006-0001-00 | Shield for 5000 lamp, black   | 144 |
| 5008-0000-00 | Gasket, shield for 5000       | 12  |
| 9018-0032-00 | Bulb: #168, 3cp               | 100 |



5000-1400-20

## 5120 Series, 1.68" X 5.25" Marker Lamp, With Shield

This lamp has a bright chrome plated shield for years of service. This series is a direct replacement for the 5100 series.

- Bright, chrome-plated shield
- Your choice of one or two wires
- Dual bulb design

| Order Nos.   | Descriptio                                | Amp Draw | CTN |
|--------------|---|----------|-----|
| 5120-1300-xx | Marker with shield, 1 wire, 2 #193 bulbs  | .7       | 126 |
| 5120-1306-xx | Marker with shield, 2 wires, 2 #193 bulbs | .7       | 126 |

NOTE: xxDenote (-10 red), (-20 amber)

| Order Nos.   | Service Parts for 5120 Series | CTN |
|--------------|-------------------------------|-----|
| 9018-0047-00 | Bulb, #193, 2cp               | 100 |
| 5002-0000-10 | Lens, acrylic, red            | 12  |
| 5002-0000-20 | Lens, acrylic, amber          | 12  |
| 5102-0000-00 | Mounting pad                  | 50  |
| 5009-0000-00 | Lens gasket                   | 12  |



5120-1300-20



5120-1300-10

## 5050 / 5051 Series, 3.77" X 2.94" Triangular Marker Lamp

This rugged series is frequently used as an identification and clearance marker lamp. The 5051 requires assembly to complete installation.

- 5050 available in LED or Incandescent
- 5050 features pass-through lens mounting screws
- LED lamp is sealed
- Armored shield available separately


| Order Nos.   | Description                     | Amp Draw | CTN |
|--------------|---------------------------------|----------|-----|
| 5050-1400-xx | Marker, #168 bulb, 3 cp         | 0.35     | 200 |
| 5050-1406-xx | Marker, 2 wire, #168 bulb, 3 cp | 0.35     | 198 |
| 5050-7000-xx | Marker, LED                     | 0.13     | 200 |
| 5051-1400-xx | Marker, #168 bulb, 3 cp         | 0.33     | 198 |
| 5051-1406-xx | Marker, 2 wire, #168 bulb, 3 cp | 0.33     | 198 |

NOTE: xxDenote (-10 red), (-20 amber)


| Order Nos.   | Service Parts for 5050-5051 series | CTN |
|--------------|------------------------------------|-----|
| 5017-0000-00 | Gasket, lens                       | 12  |
| 5018-0000-00 | Mounting pad for 5050              | 12  |
| 5020-0000-10 | Lens, acrylic, 5050 series, red    | 12  |
| 5020-0000-20 | Lens, acrylic, 5050 series, amber  | 12  |
| 5021-0000-10 | Lens, acrylic, 5051 series, red    | 12  |
| 5021-0000-20 | Lens, acrylic, 5051 series, amber  | 12  |
| 5024-0000-00 | gasket for shield                  | 12  |
| 5025-0000-00 | Shield                             | 144 |
| 9018-0032-00 | Bulb: #168, 3cp                    | 100 |



5051-1400-10



5025-0000-00



5050-1400-20

## 5060 Series Triangular Marker Lamps

This triangular marker light features all plastic construction and is fully sealed; to prevent moisture, dirt and corrosion issues. The 5060-7000 LED is for roof mount marker light applications only. The 5060-1900 has a replaceable #168 bulb and can be mounted in vertical or horizontal positions.

- Fully sealed all plastic construction
- 2 wire isolated ground
- 5060-1900 – replaceable 168 bulb - .35 amp draw
- 5060-7000 – LED, 0.10 amp draw
- 5060-1900 measures 3.83" x 3.08"
- 5060-7000 measures 3.67" x 2.93"

| Order Nos.   | Description                            | Amp Draw 12V | CTN |
|--------------|--|--------------|-----|
| 5060-1900-10 | Triangular marker, Incandescent, Red   | 0.35         | 200 |
| 5060-1900-20 | Triangular marker, Incandescent, Amber | 0.35         | 200 |
| 5060-7000-10 | LED, Triangular roof cab marker, Red   | .1           | 200 |
| 5060-7000-20 | LED, Triangular roof cab marker, Amber | .1           | 200 |
| 0D10-1610-00 | Mounting pad for 5060                  |              | 12  |




5060-1900-10



5060-1900-20



5060-7000-10



5060-7000-20

## 5210 / 5211 Series, 1" LED Marker Lights



These compact, low profile LED Marker Lights are grommet mounted and protrude less than 3/8" from the vehicle surface eliminating the need for shields or branch protection. The lamp mounts in a 3/4" diameter hole and does not require any additional fasteners. D.O.T. certified and PC rated for combined clearance and side marker functions.

- 5210 Series have a colored lens. Available colors - red and amber for D.O.T. applications; white, green and blue for accent and indication applications.
- 5211 Series have a clear lens with colored LEDs. Available colors - red and amber for D.O.T. applications; green and blue for accent and indication applications.

| Order Nos.   | Description                                      | 12 V Amp. | CTN |
|--------------|--|-----------|-----|
| 5210-1000-10 | LED marker lamp, red LED/lens, grmt mt.          | .05       | 100 |
| 5210-1000-20 | LED marker lamp, amber LED/lens, grmt mt.        | .05       | 100 |
| 5210-1000-30 | LED marker lamp, clear LED/lens, grmt mt.        | .02       | 100 |
| 5210-1000-40 | LED marker lamp, blue LED/lens, grmt mt.         | .02       | 100 |
| 5210-1000-70 | LED marker lamp, green LED/lens, grmt mt.        | .02       | 100 |
| 5211-1000-10 | LED marker lamp, red LED, clear lens, grmt mt.   | .05       | 100 |
| 5211-1000-20 | LED marker lamp, amber LED, clear lens, grmt mt. | .05       | 100 |
| 5211-1000-40 | LED marker lamp, blue LED, clear lens, grmt mt.  | .02       | 100 |
| 5211-1000-70 | LED marker lamp, green LED, clear lens, grmt mt. | .02       | 100 |



5210-1000-10



5210-1000-20

## 9186-1500 Series, 1.1" X 2.59" LED Marker Lamp

These lamps utilize LED technology for unsurpassed life and reliability. Two lead wires exit for isolated ground or chassis connection. Use the OJ10-1200 brush guard for added durability.

- Low amp draw
- Sonic-welded base and lens
- Offered in a variety of colors
- Stainless brush guard available

| Order Nos.   | Description                  | Amp Draw 12V | CTN |
|--------------|------------------------------|--------------|-----|
| 9186-1500-10 | LED clearance/marker, red    | 0.05         | 48  |
| 9186-1500-20 | LED clearance/marker, amber  | 0.05         | 48  |
| 9186-1501-30 | LED utility, clear           | 0.05         | 48  |
| 9186-1501-40 | LED utility, blue            | 0.05         | 48  |
| 9186-1501-50 | LED utility, green           | 0.05         | 48  |
| OJ10-1200-00 | Brush guard, stainless steel |              | 50  |
| OD10-1530-00 | Repl. mounting pad           |              | 12  |



9186-1500-10



9186-1500-20



OJ10-1200-00  
Brush Guard



9186-1501-30

## 9186-1585 Series, 6" X 2.8" Truck Style LED Marker Lamps

This marker lamp is fully sealed plastic construction to prevent moisture, dirt and corrosion issues at an economical price.

- Fully sealed plastic construction
- Measures 6.0" x 2.8"

| Order Nos.   | Description            | Amp Draw 12V | CTN |
|--------------|------------------------|--------------|-----|
| 9186-1585-10 | LED Marker light red   | 0.10         | 200 |
| 9186-1585-20 | LED marker light amber | 0.10         | 200 |



9186-1585-10



9186-1585-20